
ASSEMBLY INSTRUCTIONS

Playground equipment · Item no. W-B014



Test standard:	EN 1176-1, EN 1176-3
Overall dimensions:	474 × 557 × 360 cm
Weight:	475 kg (net) / 590 kg (gross)
Age group:	3 to 14 years · max. 2 children at a time

WISDOM Education Europe GmbH

schönherr.fabrik · Schönherrstraße 8 · 09113 Chemnitz · Germany
Phone: +49 (0) 37360 488 999 · E-mail: hello@wisdomeurope.eu
www.wisdomeurope.eu

Product information

Description:	Playground equipment (WiseKidz Play Unit)
Item no.:	W-B014
Imported into the EU by:	WISDOM Education Europe GmbH, schönherr.fabrik, Schönherrstraße 8, 09113 Chemnitz, Germany
Manufacturer:	ATA School Supplies Co., Ltd.
Manufacturer address:	Building 4, Lane 2777, Baoan Road, Malu Town, Jiading District, Shanghai, China
Test standard:	EN 1176-1, EN 1176-3
Overall dimensions:	474 × 557 × 360 cm
Weight:	475 kg (net) / 590 kg (gross)
Minimum space:	776 × 809 cm

Assembly notes

1. Ensure the area is safe and free of hazards prior to assembly. The minimum space required is 776 × 809 cm.
2. A minimum of two adults is required for assembly.
3. The product and materials are intended for indoor or outdoor use under supervision.
4. Before assembly, check the number of parts against the parts list (hardware packages of the individual assembly steps).
5. When assembling, ensure the ground is impact-attenuating or protected by soft material (e.g. cardboard or a blanket) to avoid scratching the equipment.
6. Tighten all bolts firmly after assembly.
7. Remove all assembly materials and tools from the play area before use.
8. Keep children away from the product as long as it is not fully assembled, as well as during disassembly or maintenance work.
9. The product can be installed in two ways: surface mounting on concrete with expansion bolts, or inground installation (set in concrete). Both options are shown in these instructions.

Safety and usage instructions

1. Read the instructions and warning labels carefully before use.
2. Inspect the equipment and play area for potential hazards before each use.
3. Maximum number of simultaneous users: 2.
4. Age group: 3 to 14 years.
5. Never leave children unattended. Constant adult supervision is required.
6. Ensure the surroundings are safe before use. Do not use the equipment in bad weather.
7. Anchoring notes: check monthly that all fixings are tight - the expansion bolts for surface mounting, and the firm seating of the equipment in its foundation for inground installation. Retighten or replace loose connections in good time.
8. Do not climb beyond the intended surfaces. Use the slide only seated, feet first.
9. If material is damaged and needs repair, contact the manufacturer or importer for repair or replacement.
10. The ground must be level (horizontal) during assembly and remain level throughout the entire period of use.

Cleaning and maintenance

1. Clean with a damp cloth.
2. Use only neutral cleaning agents.
3. Inspect the product regularly.
4. Carry out inspections according to the inspection schedule at the end of these instructions.
5. Complete the inspection record after each inspection.



W-B014



WISDOM

Wisdom Playgrounds International GmbH
Hauptstraße 215
09618 Grosshartmannsdorf, Germany
www.wisdomplaygroundsint.com
Test standard: EN 1176-1, EN 1176-3
Item Code: W-B014
Year of manufacture: 2025


This nameplate shall be installed at any lower position on the panel.



[cm]



808.8 cm





776.3 cm


Activities: 11

- | | | |
|------------------------------|-------------------------------|-------------------------------------|
| ① 120cm Single Slide | ② Wooden Gear Panel | ③ 120cm Wooden Upright Rock Climber |
| ④ Crawl Tunnel | ⑤ 120cm Stainless Rung Ladder | ⑥ Stainless Net Climber |
| ⑦ Inclined Step Board Bridge | ⑧ Wooden Window Panel | ⑨ Wooden Counter Panel (Below) |
| ⑩ Spiral Slide | ⑪ 150cm Stainless Rung Ladder | |

[cm]




[cm]




[cm]

Footing Diagram




[mm]

Surface Mounted Installation



Inground Installation



[cm]

Parts List


No.	Item	Description	Picture	Qty	
1	35-210017H55-111	127 *H2020mm 150cm Spiral Slide Middle Axle Inground Footer H55cm (Brown)		1	
2	35-WKW230-001	90*90*H2300mm Square Pinewood Post		1	
3	63-WK011	WiseKidz - 120cm Stainless Rung Ladder		1	
4	63-WK012	WiseKidz - 150cm Stainless Rung Ladder		1	
5	63-WK017	WiseKidz - Stainless Net Climber		1	
6	63-WK019	WiseKidz - 120cm Wooden Upright Rock Climber		1	
7	64-WK001-131	WiseKidz - WPC Deck (Midnight)		3	
8	64-WK005-131	WiseKidz - Spiral Slide Deck (Midnight)		1	
9	65-21055-10	Spiral Slide 90° Turn Chute (Silver Gray)		1	
10	65-21056-10	Spiral Slide Exit Chute (Silver Gray)		1	
11	65-21057-10	Spiral Slide Hood (Silver Gray)		1	
12	65-WKP002A-10	WiseKidz - 120cm Single Slide (Silver Gray)		1	
13	66-WK009-110113	WiseKidz - PE Crawl Tunnel Entry (Dark Green & Tan)		2	
14	66-WK016	WiseKidz - Wooden Climber Entry		3	
15	66-WK017	WiseKidz - Wooden Single Slide Hood		1	
16	66-WK018	WiseKidz - Wooden Climber Side Entry		1	
17	66-WK022	WiseKidz - Wooden Window Panel		1	

18	66-WK023	WiseKidz - Wooden Gear Panel		1	
19	66-WK025	WiseKidz - Wooden Counter Panel		1	
20	66-WK030-10	WiseKidz - Spiral Slide Deck Metal Barrier (Silver Gray)		1	
21	67-WK001-10	Wise Kidz - ϕ 600mm Crawl Tunnel L1410mm (Silver Gray)		1	
22	67-WK003-10	WiseKidz -300mm Inclined Step Board Bridge L1520mm (Silver Gray)		1	
23	69-WK002-10	WiseKidz - Style Gable Roof (Silver Gray)		1	
24	70-21001-131	Single Slide Inground Footer (Midnight)		2	
25	70-WK001-V55-10	WiseKidz - Wooden Post Inground Footer H55cm (Silver Gray)		12	
26	70-WK005-V55-10	WiseKidz - 38mm Post Inground Footer H55cm (Silver Gray)		6	
27	70-WK008-V55-10	WiseKidz - Single Wooden Post Inground Footer H55cm (Silver Gray)		1	
28	72-WK001-113122	WiseKidz - Post Topper (Tan & Lime)		2	
29	WKTZ-006	90*90*H2300mm(3pcs) +H2800mm(1pc) WiseKidz - Wooden Post Set 1200mm Deck w/o Roof		2	
30	WKTZ-008	90*90*H3100mm(4pcs) WiseKidz - Wooden Post Set 1500mm Deck w/Roof		1	

Hardware List


No.	Item	Description	Qty	
1	63-WK011WJB	WiseKidz - 120cm Stainless Rung Ladder - Hardware Package	1	
2	63-WK012WJB	WiseKidz - 150cm Stainless Rung Ladder - Hardware Package	1	
3	63-WK017WJB	WiseKidz - Stainless Net Climber - Hardware Package	1	
4	63-WK019WJB	WiseKidz - 120cm Wooden Upright Rock Climber - Hardware Package	1	
5	64-WK001WJB	WiseKidz - WPC Square Deck 760mm - Hardware Package	3	
6	64-WK005WJB	WiseKidz - Spiral Slide Deck (Midnight)- Hardware Package	1	
7	65-21055WJB	Spiral Slide 90°Turn Chute - Hardware Package	1	
8	65-21056WJB	Spiral Slide Exit Chute - Hardware Package	1	
9	65-21057WJB	Spiral Slide Hood - Hardware Package	1	
10	65-WKP002AWJB	WiseKidz - 120cm Single Slide - Hardware Package	1	
11	66-WK009WJB	WiseKidz - PE Crawl Tunnel Entry - Hardware Package	2	
12	66-WK016WJB	WiseKidz - Wooden Climber Entry - Hardware Package	3	
13	66-WK017WJB	WiseKidz - Wooden Slide Hood - Hardware Package	1	
14	66-WK018WJB	WiseKidz - Wooden Side Climber Entry - Hardware Package	1	
15	66-WK022WJB	WiseKidz - Wooden Window Panel - Hardware Package	1	
16	66-WK023WJB	WiseKidz - Wooden Gear Panel - Hardware Package	1	
17	66-WK025WJB	WiseKidz - Wooden Counter Panel - Hardware Package	1	

18	66-WK030WJB	WiseKidz - Spiral Slide Deck Metal Barrier (Silver Gray) - Hardware Package	1	
19	67-WK001WJB	WiseKidz - ø600mm Crawl Tunnel L1410mm - Hardware Package	1	
20	67-WK003WJB	WiseKidz -300mm Inclined Step Board Bridge L1520mm - Hardware Package	1	
21	69-WK002WJB	WiseKidz - Style Gable Roof - Hardware Package	1	
22	70-21001WJB	Single Slide Inground Footer -Hardware Package	2	
23	70-WK001-V55WJB	WiseKidz - Wooden Post Inground Footer H55cm - Hardware Package	12	
24	70-WK005-V55WJB	Wise Kidz - 38mm Post Inground Footer H55cm - Hardware Package	6	
25	70-WK008-V55WJB	WiseKidz - Single Wooden Post Inground Footer H55cm (Silver Gray)- Hardware Package	1	
26	72-WK001WJB	WiseKidz - Post Topper - Hardware Package	2	
		Gand total	49	




Installation Steps:

1: Align the connection holes of the inground footer with those of the post, then connect and fasten them with the corresponding hardware.



70-WK001-V55 WiseKidz - Wooden Post Inground Footer H55cm			
Number	Name	Model	Quantity
1	Stainless Steel Hex Self-drilling Screw	M8*70	4
2	M8 FLAT WASHER	8.5/23.5*T1.5mm	4
2	PLASTIC CAP	M10	4






[cm]

Installation Steps:

35-WKW230-001 90*90mm Square Pinewood Post
2300mm 1-2

1. Locate the short post end close to the inground footer as shown figure, drill holes along the hole position on footer (Ø12mm through hole).

70-WK008-V55-10




the electric drill

Installation Steps:

1: Align the connection holes of the inground footer with those of the post, then connect and fasten them with the corresponding hardware.

35-WKW230-001 90*90mm Square Pinewood Post
2300mm 2-2

Number	Name	Model	Quantity
1	Stainless Steel Hex Self-drilling Screw	M8*110	2
2	FLAT WASHER	8.5/23.5*T1.5	4
3	PLASTIC CAP	φ34 M10	2
4	LOCK NUT	M8	2




Installation Steps:


1: Use custom corner braces to align the connection holes of the deck and the post, then use corresponding hardware to connect and fasten them.

64-WK001 WiseKidz - WPC Deck

Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M8*70	8
2	FLAT WASHER	8.5/23.5*T1.5	8
3	LOCK NUT	M8	8
4	PLASTIC CAP	Ø10*34	8
5	Stainless Steel Hex Self-drilling Screw	M8*70	8



The height of the deck should be referred to the corresponding components. This picture is only an illustration of the deck hardware.




Installation Steps:

1: Use custom corner braces to align the connection holes of the deck and the post, then use corresponding hardware to connect and fasten them.

64-WK005-131 WiseKidz - Spiral Slide Deck

Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M8*75	4
2	FLAT WASHER	8.5/23.5*T1.5	10
3	PLASTIC CAP	φ34 M10	4
4	LOCK NUT	M8	4
5	TAMPER RESISTANT TORX-BOLT	M8*25	2




66-WK030 WiseKidz - Spiral Slide Deck Metal Barrier

Installation Steps:

1: Align the holes of the railing with those on the post and platform, then use corresponding hardware to fasten.

Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M8*25	4
2	FLAT WASHER	8.5/23.5*T1.5	12
3	PLASTIC CAP	φ34 M10	4
4	LOCK NUT	M8	4
5	TAMPER RESISTANT TORX-BOLT	M8*60	4




Installation Steps:

1: Align the connection holes of the panel and the crawl tunnel, then use corresponding hardware to connect and fasten them.

67-WK001 Wise Kidz - 600mm Crawl Tunnel L1410mm

Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M8*35	20
2	FLAT WASHER	8.5/23.5*T1.5	40
3	LOCK NUT	M8	20
4	PLASTIC CAP	Ø34 M10	20




Installation Steps:

1:As shown in the figure, align the handrail with the embedded holes of the post, and use corresponding hardware to connect and tighten them.

2:As shown in the figure, place the L shaped corner brace of the pedal bridge below the deck, align the corresponding holes, and use corresponding hardware to connect and tighten.

67-WK003 WiseKidz -300mm Inclined Step Board Bridge L1520mm

Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M8*80	4
2	FLAT WASHER	8.5/23.5*T1.5	16
3	LOCK NUT	M8	4
4	PLASTIC CAP	Ø34 M10	4
5	TAMPER RESISTANT TORX-BOLT	M8*30	8




Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M8*50	2
2	SPRING WASHER	M8*2.5	4
3	LOCK NUT	M8	2

Installation Steps:

1: Insert inground footer into climber sleeve and secure with corresponding hardware.

2: Use expansion bolts to secure the buried anchor to the ground.



70-WK005-V55


63-WK011 WiseKidz - 120cm Stainless Rung Ladder 2-2

Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M8*50	2
2	FLAT WASHER	8.5/23.5*T1.5	4
3	LOCK NUT	M8	2
4	PLASTIC CAP	φ34 M10	2

Installation Steps:

1: Remove the screws from the corresponding holes on the deck before install the rung ladder.


2: Place the ladder climber below the deck and align the connection holes, then secure with corresponding hardware.



Installation Steps:

1: Insert inground footer into climber sleeve and secure with corresponding hardware.


Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M8*50	2
2	SPRING WASHER	M8*2.5	4
3	LOCK NUT	M8	2



Installation Steps:

1: Place the ladder climber below the deck and align the connection holes, then secure with corresponding hardware.

Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M8*80	2
2	FLAT WASHER	8.5/23.5*T1.5	4
3	LOCK NUT	M8	2
4	PLASTIC CAP	φ34 M10	2




63-WK017 WiseKidz - 120cm Stainless Upright Net Climber 1-2

Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M8*50	2
2	SPRING WASHER	M8*2.5	4
3	LOCK NUT	M8	2

Installation Steps:

1. As shown figure, fix the inground footer with the climber by using corresponding hardware






Installation Steps:

1. As shown figure, fix the climber with the posts by using corresponding hardware.

63-WK017 WiseKidz - 120cm Stainless Upright Net Climber 2-2

Number	Name	Model	Quantity
1	STAINLESS STEEL HEX HEAD SELF-TAPPING SCREW	8*70	4
2	PLASTIC CAP	φ34 M10	4

Please keep the climber end 8.4cm away from the deck top.




Installation Steps:

- 1: Align the climber top with deck surface, fix it with the posts by using corresponding hardware.

63-WK019 WiseKidz -120cm Wooden Upright Rock Climber


Number	Name	Model	Quantity
1	STAINLESS STEEL TORX COUNTERSUNK SELF-TAPPING SCREW	6.3*50	8



Installation Steps:

1:As shown in the diagram, align the bottom of the panel with the deck (so that they are flush), then connect and tighten them with the corresponding hardware.

Number	Name	Model	Quantity
1	Stainless Steel Hex Self-drilling Screw	M8*50	2




Installation height: The Bottom of the panel is at the same level then the top of the deck

Installation Steps:

1: Align the Panel bottom with the Deck surface, use self-tapping screws to fix the Panel to the Post.

66-WK022 WiseKidz - Wooden Window Panel

Number	Name	Model	Quantity
1	Self-tapping Screw	3.9*70	4
2	Self-tapping Screw	3.9*45	2




Installation Steps:

1: Align the Panel bottom with the Deck surface, use self-tapping screws to fix the Panel to the Post.

66-WK023 WiseKidz - Wooden Gear Panel

Number	Name	Model	Quantity
1	Self-tapping Screw	3.9*70	4
2	Self-tapping Screw	3.9*50	2

Installation height: The Bottom of the panel is at the same level then the top of the deck




Installation Steps:

1: As shown in the figure, position the panel in the corresponding location and use corresponding hardware to connect and fasten it.

66-WK025 WiseKidz - Wooden Counter Panel

Number	Name	Model	Quantity
1	Self-tapping Screw	M3.9*45	4




Installation Steps:

1: Align the Panel bottom with the Deck surface, use self-tapping screws to fix the Panel to the Post.

66-WK016 WiseKidz - Wooden Climber Entry

Number	Name	Model	Quantity
1	Self-tapping Screw	3.9*70	8
2	Self-tapping Screw	3.9*50	4


Installation height: The Bottom of the panel is at the same level then the top of the deck



Installation Steps:

1: As shown figure, align the Door Header with corresponding holes on the panel, insert corresponding hardware and tighten.

Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M8*60	1
2	FLAT WASHER	8.5/23.5*T1.5	2
3	LOCK NUT	M8	1
4	PLASTIC CAP	Ø34 M10	1




Installation Steps:

1: Align the Panel bottom with the Deck surface, use self-tapping screws to fix the Panel to the Post.

Number	Name	Model	Quantity
1	Self-tapping Screw	3.9*70	6
2	Self-tapping Screw	3.9*50	2

Installation height: The Bottom of the panel is at the same level then the top of the deck




Installation Steps:

1: Align the connection holes of the arc shaped PE board and the panel, then use corresponding hardware to connect and fasten them.

66-WK017 WiseKidz - Wooden Slide Hood 1-4

Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M8*55	4
2	FLAT WASHER	8.5/23.5*T1.5	8
3	PLASTIC CAP	φ34 M10	4
4	LOCK NUT	M8	4




Installation Steps:

1: Align the connection holes of the metal connector and the deck, then use corresponding hardware to connect and fasten them.

66-WK017 WiseKidz - Wooden Slide Hood 2-4


Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M8*75	2
2	FLAT WASHER	8.5/23.5*T1.5	4
3	PLASTIC CAP	φ34 M10	2
4	LOCK NUT	M8	2



Installation Steps:

1:Align the connection holes of the arc shaped PE board and the panel, and then use corresponding hardware to connect and fasten them.

Number	Name	Model	Quantity
1	Self-tapping Screw	3.9*50	12




Installation Steps:

1: When installing the slide, align the connection holes of the slide and the panel, and use corresponding hardware to connect and fasten them.


66-WK017 WiseKidz - Wooden Slide Hood 4-4

Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M8*45	2
2	FLAT WASHER	8.5/23.5*T1.5	7
3	PLASTIC CAP	φ34 M10	2
4	LOCK NUT	M8	2
5	TAMPER RESISTANT TORX-BOLT	M8*25	3



Installation Steps:

65-WKP002A WiseKidz - 120cm Single Slide




Installation steps:

1:Align the inground footer with the holes on single slide.


2:Insert corresponding hardware and tighten.

70-21001 Single Slide Inground Footer


Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M8*20	2
2	FLAT WASHER	8.5/23.5*T1.5	2



Installation steps:




The lower section of the post is for inground mount, and the upper section goes through each chute of Spiral Slide to complete the installation.



Installation steps:

- 1: Insert positioning tube
- 2: Confirm the location of sectional slide, as shown in the diagram.
- 3: Align the sectional slide with corresponding holes on the slide.
- 4: Insert the corresponding hardware and tighten.


65-21055 Spiral Slide 90° Turn Chute			
Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M10*95	7
2	FLAT WASHER	10.5/25*T1.5	14
3	PLASTIC CAP	φ34*M10	7
4	LOCK NUT	M10	7



Installation steps:

- 1: Insert positioning tube
- 2: Confirm the location of sectional slide as shown in the diagram.
- 3: Align the sectional slide with corresponding holes on the slide.
- 4: Insert the corresponding hardware and tighten.


Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M10*95	7
2	FLAT WASHER	10.5/25*T1.5	14
3	PLASTIC CAP	φ34*M10	7
4	LOCK NUT	M10	7



Installation Steps:

1: As shown in the figure, place the decorative panel in the corresponding position and use corresponding hardware to connect and fasten it.


72-WK001 WiseKidz - Post Topper			
Number	Name	Model	Quantity
1	Self-tapping Screw	M3.9*45	3



Installation Steps:

1: As shown in the figure, connect the left roof and the right roof, and use corresponding hardware to connect and fasten them.


69-WK002 WiseKidz - Style Gable Roof 1-2			
Number	Name	Model	Quantity
1	TAMPER RESISTANT TORX-BOLT	M8*45	6
2	FLAT WASHER	8.5/23.5*T1.5	12
3	LOCK NUT	M8	6



Installation Steps:

1: As shown in the figure, place the roof of the post and use self-tapping screws to connect and fasten it.

69-WK002 WiseKidz - Style Gable Roof 2-2			
Number	Name	Model	Quantity
1	Self-tapping Screw	M3.9*50	4



Inspection record

Carry out the inspections at the specified intervals and document the results.

Interval	Check point	YES / NO	Action	Signature
Daily inspection	Screws, bolts and fasteners are firmly tightened.			
	The equipment stands on a level surface; no hazards are present.			
	The equipment is free of dirt and moisture.			
	Moving parts and connections are undamaged and securely fastened.			
	No signs of damage or wear.			
Monthly inspection (in addition to the daily inspection)	Screws are free of rust and damage.			
	All parts are securely connected.			
	Information and compliance labels are intact.			
Annual inspection (in addition to the daily and monthly inspections)	No extensive corrosion; replace affected parts if necessary.			
	No cracks or damage to connecting parts; replace if necessary.			
	No excessive discolouration of components.			
	Screws and connecting elements are in working order, undamaged and not worn.			
	Information labels are legible.			
	The play area under the equipment is safe and level.			

Date of inspection: _____

Carried out by: _____



Thank you for your trust!

If you have any questions about assembly, maintenance or spare parts,
we are happy to help.

WISDOM Education Europe GmbH

schönherr.fabrik · Schönherrstraße 8 · 09113 Chemnitz · Germany
Phone: +49 (0) 37360 488 999 · E-mail: hello@wisdomeurope.eu
www.wisdomeurope.eu