

---

# ASSEMBLY INSTRUCTIONS

Playground equipment · Item no. W-B008



|                            |                                           |
|----------------------------|-------------------------------------------|
| <b>Test standard:</b>      | EN 1176-1, EN 1176-3                      |
| <b>Overall dimensions:</b> | 617 × 543 × 360 cm                        |
| <b>Weight:</b>             | 539 kg (net) / 554 kg (gross)             |
| <b>Age group:</b>          | 3 to 14 years · max. 2 children at a time |

---

## WISDOM Education Europe GmbH

schönherr.fabrik · Schönherrstraße 8 · 09113 Chemnitz · Germany  
Phone: +49 (0) 37360 488 999 · E-mail: [hello@wisdomeurope.eu](mailto:hello@wisdomeurope.eu)  
[www.wisdomeurope.eu](http://www.wisdomeurope.eu)

## Product information

---

|                                 |                                                                                               |
|---------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Description:</b>             | Playground equipment (WiseKidz Play Unit)                                                     |
| <b>Item no.:</b>                | W-B008                                                                                        |
| <b>Imported into the EU by:</b> | WISDOM Education Europe GmbH, schönherr.fabrik,<br>Schönherrstraße 8, 09113 Chemnitz, Germany |
| <b>Manufacturer:</b>            | ATA School Supplies Co., Ltd.                                                                 |
| <b>Manufacturer address:</b>    | Building 4, Lane 2777, Baoan Road, Malu Town,<br>Jiading District, Shanghai, China            |
| <b>Test standard:</b>           | EN 1176-1, EN 1176-3                                                                          |
| <b>Overall dimensions:</b>      | 617 × 543 × 360 cm                                                                            |
| <b>Weight:</b>                  | 539 kg (net) / 554 kg (gross)                                                                 |
| <b>Minimum space:</b>           | 967 × 887 cm                                                                                  |

## Assembly notes

---

1. Ensure the area is safe and free of hazards prior to assembly. The minimum space required is 967 × 887 cm.
2. A minimum of two adults is required for assembly.
3. The product and materials are intended for indoor or outdoor use under supervision.
4. Before assembly, check the number of parts against the parts list (hardware packages of the individual assembly steps).
5. When assembling, ensure the ground is impact-attenuating or protected by soft material (e.g. cardboard or a blanket) to avoid scratching the equipment.
6. Tighten all bolts firmly after assembly.
7. Remove all assembly materials and tools from the play area before use.
8. Keep children away from the product as long as it is not fully assembled, as well as during disassembly or maintenance work.
9. The product can be installed in two ways: surface mounting on concrete with expansion bolts, or inground installation (set in concrete). Both options are shown in these instructions.

## Safety and usage instructions

---

1. Read the instructions and warning labels carefully before use.
2. Inspect the equipment and play area for potential hazards before each use.
3. Maximum number of simultaneous users: 2.
4. Age group: 3 to 14 years.
5. Never leave children unattended. Constant adult supervision is required.
6. Ensure the surroundings are safe before use. Do not use the equipment in bad weather.
7. Anchoring notes: check monthly that all fixings are tight - the expansion bolts for surface mounting, and the firm seating of the equipment in its foundation for inground installation. Retighten or replace loose connections in good time.
8. Do not climb beyond the intended surfaces. Use the slide only seated, feet first.
9. If material is damaged and needs repair, contact the manufacturer or importer for repair or replacement.
10. The ground must be level (horizontal) during assembly and remain level throughout the entire period of use.

## Cleaning and maintenance

---



1. Clean with a damp cloth.
2. Use only neutral cleaning agents.
3. Inspect the product regularly.
4. Carry out inspections according to the inspection schedule at the end of these instructions.
5. Complete the inspection record after each inspection.

# W-B008




Wisdom Playgrounds International GmbH  
Hauptstraße 215  
• 09618 Grosshartmannsdorf, Germany •  
[www.wisdomplaygroundsint.com](http://www.wisdomplaygroundsint.com)  
Test standard: EN 1176-1, EN 1176-3  
Item Code: W-B008-SM5  
Year of manufacture: 2025

This nameplate shall be installed at any lower position on the panel.





[cm]




### Activities: 13

- |                                            |                             |                                  |
|--------------------------------------------|-----------------------------|----------------------------------|
| ① 120cm Single Slide                       | ② 150cm Single Slide        | ③ 120cm Stainless Fireman's Pole |
| ④ 120cm Stainless Rung Ladder              | ⑤ Inclined Net Bridge       | ⑥ Crawl Tunnel                   |
| ⑦ 150cm Stainless Rung Ladder              | ⑧ Wooden Dynamic Game Panel | ⑨ PE Car Panel (Below)           |
| ⑩ PE Post Side Rotating Game Panel (Below) | ⑪ Wooden Window Panel       | ⑫ Wooden Counter Panel (Below)   |
| ⑬ 150cm Wooden Rock Climber                |                             |                                  |

[cm]




[cm]




[cm]

# Footing Diagram




[mm]

# Surface Mounted Installation



# Inground Installation



[cm]

## Parts List


| No. | Item            | Description                                                     | Picture                                                                               | Qty |  |
|-----|-----------------|-----------------------------------------------------------------|---------------------------------------------------------------------------------------|-----|--|
| 1   | 63-WK011        | WiseKidz - 120cm Stainless Rung Ladder                          |    | 1   |  |
| 2   | 63-WK012        | WiseKidz - 150cm Stainless Rung Ladder                          |    | 1   |  |
| 3   | 63-WK014        | WiseKidz - 120cm Stainless Fireman's Pole                       |    | 1   |  |
| 4   | 63-WK023        | WiseKidz -150cm Wooden Rock Climber                             |    | 1   |  |
| 5   | 64-WK001-131    | WiseKidz - WPC Deck (Midnight)                                  |    | 3   |  |
| 6   | 65-WKP002A-10   | WiseKidz - 120cm Single Slide (Silver Gray)                     |    | 1   |  |
| 7   | 65-WKP003A-10   | WiseKidz - 150cm Single Slide (Silver Gray)                     |    | 1   |  |
| 8   | 66-WK009-110113 | WiseKidz - PE Crawl Tunnel Entry (Dark Green & Tan)             |   | 2   |  |
| 9   | 66-WK014-110122 | WiseKidz - PE Car Panel (Dark Green & Lime)                     |  | 1   |  |
| 10  | 66-WK015-110122 | WiseKidz - PE Post Side Rotating Game Panel (Dark Green & Lime) |  | 1   |  |
| 11  | 66-WK016        | WiseKidz - Wooden Climber Entry                                 |  | 4   |  |
| 12  | 66-WK017        | WiseKidz - Wooden Single Slide Hood                             |  | 2   |  |
| 13  | 66-WK021        | WiseKidz - Wooden Dynamic Game Panel                            |  | 1   |  |
| 14  | 66-WK022        | WiseKidz - Wooden Window Panel                                  |  | 1   |  |
| 15  | 66-WK025        | WiseKidz - Wooden Counter Panel                                 |  | 1   |  |
| 16  | 66-WK026        | WiseKidz - Wooden Counter Panel Roof                            |  | 1   |  |
| 17  | 67-WK001-10     | Wise Kidz - ø600mm Crawl Tunnel L1410mm (Silver Gray)           |  | 1   |  |


|    |                     |                                                               |                                                                                     |    |  |
|----|---------------------|---------------------------------------------------------------|-------------------------------------------------------------------------------------|----|--|
| 18 | 67-WK007-10         | WiseKidz - 300mm Inclined Net Bridge<br>L1520mm (Silver Gray) |  | 1  |  |
| 19 | 69-WK002-10         | WiseKidz - Style Gable Roof (Silver Gray)                     |  | 2  |  |
| 20 | 70-21001-131        | Single Slide Inground Footer (Midnight)                       |  | 2  |  |
| 21 | 70-WK001-V55-10     | WiseKidz - Wooden Post Inground<br>Footer H55cm (Silver Gray) |  | 12 |  |
| 22 | 70-WK005-V55-10     | WiseKidz - 38mm Post Inground Footer<br>H55cm (Silver Gray)   |  | 7  |  |
| 23 | 72-WK001-<br>113122 | WiseKidz - Post Topper (Tan & Lime)                           |  | 1  |  |
| 24 | WKTZ-006            | WiseKidz - Wooden Post Set 1200mm<br>Deck w/o Roof            |  | 1  |  |
| 25 | WKTZ-008            | WiseKidz - Wooden Post Set 1500mm<br>Deck w/Roof              |  | 2  |  |

## Hardware List

| No. | Item          | Description                                                    | Qty |  |
|-----|---------------|----------------------------------------------------------------|-----|--|
| 1   | 63-WK011WJB   | WiseKidz - 120cm Stainless Rung Ladder - Hardware Package      | 1   |  |
| 2   | 63-WK012WJB   | WiseKidz - 150cm Stainless Rung Ladder - Hardware Package      | 1   |  |
| 3   | 63-WK014WJB   | WiseKidz - 120cm Stainless Fireman's Pole - Hardware Package   | 1   |  |
| 4   | 63-WK023WJB   | WiseKidz - 150cm Wooden Rock Climber - Hardware Package        | 1   |  |
| 5   | 64-WK001WJB   | WiseKidz - WPC Square Deck 760mm - Hardware Package            | 3   |  |
| 6   | 65-WKP002AWJB | WKP - 120cm Single Slide - Hardware Package                    | 1   |  |
| 7   | 65-WKP003AWJB | WKP - 150cm Single Slide - Hardware Package                    | 1   |  |
| 8   | 66-WK009WJB   | WiseKidz - PE Crawl Tunnel Entry - Hardware Package            | 2   |  |
| 9   | 66-WK014WJB   | WiseKidz - PE Car Panel - Hardware Package                     | 1   |  |
| 10  | 66-WK015WJB   | WiseKidz - PE Post Side Rotating Game Panel - Hardware Package | 1   |  |
| 11  | 66-WK016WJB   | WiseKidz - Wooden Climber Entry - Hardware Package             | 4   |  |
| 12  | 66-WK017WJB   | WiseKidz - Wooden Slide Hood - Hardware Package                | 2   |  |
| 13  | 66-WK021WJB   | WiseKidz - Wooden Dynamic Game Panel - Hardware Package        | 1   |  |
| 14  | 66-WK022WJB   | WiseKidz - Wooden Window Panel - Hardware Package              | 1   |  |
| 15  | 66-WK025WJB   | WiseKidz - Wooden Counter Panel - Hardware Package             | 1   |  |
| 16  | 66-WK026WJB   | WiseKidz - Wooden Counter Panel Roof - Hardware Package        | 1   |  |
| 17  | 67-WK001WJB   | Wise Kidz - ø600mm Crawl Tunnel L1410mm - Hardware Package     | 1   |  |

|    |                     |                                                                     |    |  |
|----|---------------------|---------------------------------------------------------------------|----|--|
| 18 | 67-WK007WJB         | WiseKidz - 300mm Inclined Net Bridge<br>L1520mm - Hardware Package  | 1  |  |
| 19 | 69-WK002WJB         | WiseKidz - Style Gable Roof - Hardware<br>Package                   | 2  |  |
| 20 | 70-21001WJB         | Single Slide Inground Footer - Hardware<br>Package                  | 2  |  |
| 21 | 70-WK001-<br>V55WJB | Wise Kidz - Wooden Post Inground<br>Footer H55cm - Hardware Package | 12 |  |
| 22 | 70-WK005-<br>V55WJB | Wise Kidz - 38mm Post Inground Footer<br>H55cm - Hardware Package   | 7  |  |
| 23 | 72-WK001WJB         | WiseKidz - Post Topper - Hardware<br>Package                        | 1  |  |






[cm]

Installation Steps:

1: Align the connection holes of the inground footer with those of the post, then connect and fasten them with the corresponding hardware.




| 70-WK001-V55 WiseKidz - Wooden Post Inground Footer H55cm |                                         |                 |          |
|-----------------------------------------------------------|-----------------------------------------|-----------------|----------|
| Number                                                    | Name                                    | Model           | Quantity |
| 1                                                         | Stainless Steel Hex Self-drilling Screw | M8*70           | 4        |
| 2                                                         | M8 FLAT WASHER                          | 8.5/23.5*T1.5mm | 4        |
| 2                                                         | PLASTIC CAP                             | M10             | 4        |

# Installation Steps:


1: Use custom corner braces to align the connection holes of the deck and the post, then use corresponding hardware to connect and fasten them.

## 64-WK001 WiseKidz - WPC Deck

| Number | Name                                    | Model         | Quantity |
|--------|-----------------------------------------|---------------|----------|
| 1      | TAMPER RESISTANT TORX-BOLT              | M8*70         | 8        |
| 2      | FLAT WASHER                             | 8.5/23.5*T1.5 | 8        |
| 3      | LOCK NUT                                | PLASTIC CAP   | 8        |
| 4      | PLASTIC CAP                             | LOCK NUT      | 8        |
| 5      | Stainless Steel Hex Self-drilling Screw | M8*70         | 8        |



The height of the deck should be referred to the corresponding components. This picture is only an illustration of the deck hardware.




## Installation Steps:

1: Align the connection holes of the panel and the crawl tunnel, then use corresponding hardware to connect and fasten them.

### 67-WK001 Wise Kidz - 600mm Crawl Tunnel L1410mm

| Number | Name                       | Model         | Quantity |
|--------|----------------------------|---------------|----------|
| 1      | TAMPER RESISTANT TORX-BOLT | M8*35         | 20       |
| 2      | FLAT WASHER                | 8.5/23.5*T1.5 | 40       |
| 3      | LOCK NUT                   | PLASTIC CAP   | 20       |
| 4      | PLASTIC CAP                | LOCK NUT      | 20       |




## Installation Steps:

1: Place the net climber under the deck, align the connection holes, and use corresponding hardware to connect and fasten them.

1: Align the handrail with the center of the post, and use corresponding hardware to connect and fasten it.

### 67-WK007 WiseKidz - 300mm Inclined Net Bridge L1520mm

| Number | Name                                    | Model         | Quantity |
|--------|-----------------------------------------|---------------|----------|
| 1      | TAMPER RESISTANT TORX-BOLT              | M8*70         | 4        |
| 2      | FLAT WASHER                             | 8.5/23.5*T1.5 | 4        |
| 3      | LOCK NUT                                | PLASTIC CAP   | 4        |
| 4      | PLASTIC CAP                             | LOCK NUT      | 4        |
| 5      | Stainless Steel Hex Self-drilling Screw | M8*50         | 8        |




63-WK011 WiseKidz - 120cm Stainless Rung Ladder  
1-2

| Number | Name                       | Model  | Quantity |
|--------|----------------------------|--------|----------|
| 1      | TAMPER RESISTANT TORX-BOLT | M8*50  | 2        |
| 2      | SPRING WASHER              | M8*2.5 | 4        |
| 3      | LOCK NUT                   | M8     | 2        |

**Installation Steps:**

- 1: Insert inground footer into climber sleeve and secure with corresponding hardware.
- 2: Use expansion bolts to secure the buried anchor to the ground.




70-WK005-V55

# 63-WK012 WiseKidz - 150cm Stainless Rung Ladder 2-2

| Number | Name                       | Model         | Quantity |
|--------|----------------------------|---------------|----------|
| 1      | TAMPER RESISTANT TORX-BOLT | M8*50         | 2        |
| 2      | FLAT WASHER                | 8.5/23.5*T1.5 | 4        |
| 3      | LOCK NUT                   | M8            | 2        |
| 4      | PLASTIC CAP                | φ34 M10       | 2        |

## Installation Steps:


1:Place the ladder climber below the deck and align the connection holes, then secure with corresponding hardware.



## Installation Steps:

1: Insert inground footer into climber sleeve and secure with corresponding hardware.

| Number | Name                       | Model  | Quantity |
|--------|----------------------------|--------|----------|
| 1      | TAMPER RESISTANT TORX-BOLT | M8*50  | 2        |
| 2      | SPRING WASHER              | M8*2.5 | 4        |
| 3      | LOCK NUT                   | M8     | 2        |




63-WK011 WiseKidz - 120cm Stainless Rung Ladder  
2-2

| Number | Name                       | Model         | Quantity |
|--------|----------------------------|---------------|----------|
| 1      | TAMPER RESISTANT TORX-BOLT | M8*50         | 2        |
| 2      | FLAT WASHER                | 8.5/23.5*T1.5 | 4        |
| 3      | LOCK NUT                   | M8            | 2        |
| 4      | PLASTIC CAP                | φ34 M10       | 2        |

Installation Steps:

1:Place the ladder climber below the deck and align the connection holes, then secure with corresponding hardware.




## Installation Steps:

1:As shown in the figure, insert the inground footer into the fireman's pole sleeve, then secure with corresponding hardware.

### 63-WK014 WiseKidz - 120cm Stainless Fireman's Pole 1-2

| Number | Name                       | Model  | Quantity |
|--------|----------------------------|--------|----------|
| 1      | TAMPER RESISTANT TORX-BOLT | M8*50  | 2        |
| 2      | SPRING WASHER              | M8*2.5 | 4        |
| 4      | LOCK NUT                   | M8     | 2        |




## Installation Steps:

1:As shown in the figure, insert the inground footer into the fireman's pole sleeve, then secure with corresponding hardware.

### 63-WK014 WiseKidz - 120cm Stainless Fireman's Pole 2-2


| Number | Name                                        | Model   | Quantity |
|--------|---------------------------------------------|---------|----------|
| 1      | Stainless Steel Hex Self-drilling Screw     | M8*55   | 1        |
| 2      | SPRING WASHER                               | M8*2.5  | 1        |
| 3      | STAINLESS STEEL HEX HEAD SELF-TAPPING SCREW | M8*70   | 4        |
| 4      | PLASTIC CAP                                 | φ34 M10 | 4        |



## Installation Steps:

1: The height of the deck should be referred to the corresponding components. This picture is only an illustration of the platform hardware.

| Number | Name                       | Model  | Quantity |
|--------|----------------------------|--------|----------|
| 1      | TAMPER RESISTANT TORX-BOLT | M8*50  | 2        |
| 2      | SPRING WASHER              | M8*2.5 | 2        |
| 3      | LOCK NUT                   | M8     | 2        |




## Installation Steps:

1: Align the connection holes of the climber with the deck, then use the corresponding hardware to connect and tighten.

### 63-WK023 WiseKidz -150cm Wooden Rock Climber 2-2

| Number | Name                       | Model         | Quantity |
|--------|----------------------------|---------------|----------|
| 1      | TAMPER RESISTANT TORX-BOLT | M8*80         | 2        |
| 2      | FLAT WASHER                | M8*2.5        | 2        |
| 3      | LOCK NUT                   | 8.5/23.5*T1.5 | 2        |
| 4      | PLASTIC CAP                | φ34 M10       | 2        |




## Installation Steps:

1: As shown in the diagram, align the bottom of the panel with the deck (so that they are flush), then connect and tighten them with the corresponding hardware.

### 66-WK009 WiseKidz - PE Crawl Tunnel Entry

| Number | Name                                    | Model | Quantity |
|--------|-----------------------------------------|-------|----------|
| 1      | Stainless Steel Hex Self-drilling Screw | M8*50 | 2        |




Installation height: The Bottom of the panel is at the same level then the top of the deck

# Installation Steps:

1: As shown in the figure, place the decorative panel in the corresponding position and use corresponding hardware to connect and fasten it.

| 72-WK001 WiseKidz - Post Topper |                    |         |          |
|---------------------------------|--------------------|---------|----------|
| Number                          | Name               | Model   | Quantity |
| 1                               | Self-tapping Screw | M3.9*45 | 3        |




# Installation Steps:

1:As shown in the diagram, install the panel in the corresponding position, then connect and tighten it with the corresponding hardware.

66-WK014 WiseKidz - PE Car Panel

| Number | Name               | Model | Quantity |
|--------|--------------------|-------|----------|
| 1      | Self-tapping Screw | M8*70 | 4        |
| 2      | PLASTIC CAP        | 10*34 | 4        |




## Installation Steps:

1:As shown in the figure, align the PE knob functional part with the connection hole of the post,and use corresponding hardware to connect and fasten it.

### 66-WK015 WiseKidz - PE Post Side Rotating Game Panel

| Number | Name                                    | Model | Quantity |
|--------|-----------------------------------------|-------|----------|
| 1      | Stainless Steel Hex Self-drilling Screw | M8*70 | 2        |




## Installation Steps:

1: Align the Panel bottom with the Deck surface, use self-tapping screws to fix the Panel to the Post.

### 66-WK016 WiseKidz - Wooden Climber Entry

| Number | Name               | Model  | Quantity |
|--------|--------------------|--------|----------|
| 1      | Self-tapping Screw | 3.9*70 | 8        |
| 2      | Self-tapping Screw | 3.9*50 | 4        |


Installation height: The Bottom of the panel is at the same level then the top of the deck



## Installation Steps:

1: Align the Panel bottom with the Deck surface, use self-tapping screws to fix the Panel to the Post.

| Number | Name               | Model  | Quantity |
|--------|--------------------|--------|----------|
| 1      | Self-tapping Screw | 3.9*70 | 4        |
| 2      | Self-tapping Screw | 3.9*50 | 2        |




## Installation Steps:

1: Align the Panel bottom with the Deck surface, use self-tapping screws to fix the Panel to the Post.

### 66-WK022 WiseKidz - Wooden Window Panel

| Number | Name               | Model  | Quantity |
|--------|--------------------|--------|----------|
| 1      | Self-tapping Screw | 3.9*70 | 4        |
| 2      | Self-tapping Screw | 3.9*45 | 2        |




## Installation Steps:

1: As shown in the figure, position the panel in the corresponding location and use corresponding hardware to connect and fasten it.

### 66-WK025 WiseKidz - Wooden Counter Panel


| Number | Name               | Model   | Quantity |
|--------|--------------------|---------|----------|
| 1      | Self-tapping Screw | M3.9*45 | 4        |



## Installation Steps:

1: As shown in the figure, position the panel in the corresponding location and use corresponding hardware to connect and fasten it. Note: It must be installed against the deck corner brace; otherwise, there is a risk of jamming.

The eaves shall be closely attached with the underside of the deck in case of the head entrapment issue.



### 66-WK026 WiseKidz - Wooden Counter Panel Roof


| Number | Name               | Model   | Quantity |
|--------|--------------------|---------|----------|
| 1      | Self-tapping Screw | M3.9*45 | 4        |

## Installation Steps:

1: Align the connection holes of the arc shaped PE board and the panel, then use corresponding hardware to connect and fasten them.

### 66-WK017 WiseKidz - Wooden Slide Hood 1-4

| Number | Name                       | Model         | Quantity |
|--------|----------------------------|---------------|----------|
| 1      | TAMPER RESISTANT TORX-BOLT | M8*55         | 4        |
| 2      | FLAT WASHER                | 8.5/23.5*T1.5 | 8        |
| 3      | PLASTIC CAP                | φ34 M10       | 4        |
| 4      | LOCK NUT                   | M8            | 4        |




## Installation Steps:

1: Align the connection holes of the metal connector and the deck, then use corresponding hardware to connect and fasten them.

### 66-WK017 WiseKidz - Wooden Slide Hood 2-4

| Number | Name                       | Model         | Quantity |
|--------|----------------------------|---------------|----------|
| 1      | TAMPER RESISTANT TORX-BOLT | M8*75         | 2        |
| 2      | FLAT WASHER                | 8.5/23.5*T1.5 | 4        |
| 3      | PLASTIC CAP                | φ34 M10       | 2        |
| 4      | LOCK NUT                   | M8            | 2        |




Installation Steps:

1:Align the connection holes of the arc shaped PE board and the panel, and then use corresponding hardware to connect and fasten them.

| Number | Name               | Model  | Quantity |
|--------|--------------------|--------|----------|
| 1      | Self-tapping Screw | 3.9*50 | 12       |

Installation height: The Bottom of the panel is at the same level then the top of the deck




## Installation Steps:

1: When installing the slide, align the connection holes of the slide and the panel, and use corresponding hardware to connect and fasten them.


### 66-WK017 WiseKidz - Wooden Slide Hood 4-4

| Number | Name                       | Model         | Quantity |
|--------|----------------------------|---------------|----------|
| 1      | TAMPER RESISTANT TORX-BOLT | M8*45         | 2        |
| 2      | FLAT WASHER                | 8.5/23.5*T1.5 | 7        |
| 3      | PLASTIC CAP                | φ34 M10       | 2        |
| 4      | LOCK NUT                   | M8            | 2        |
| 5      | TAMPER RESISTANT TORX-BOLT | M8*25         | 3        |




## Installation Steps:

65-WKP002A WKP - 120cm Single Slide



## Installation Steps:

65-WKP003A WKP - 150cm Single Slide




## Installation Steps:

1: Align the support post holes with the corresponding holes on the slide.

2: Insert corresponding hardware and tighten.

### 65-WKP003A WKP - 150cm Single Slide 1-2

| Number | Name                       | Model         | Quantity |
|--------|----------------------------|---------------|----------|
| 1      | TAMPER RESISTANT TORX-BOLT | M8*20         | 4        |
| 2      | FLAT WASHER                | 8.5/23.5*T1.5 | 4        |




## Installation steps:

1:Align the inground footer with the holes on single slide.

2:Insert corresponding hardware and tighten.

### 70-21001 Single Slide Inground Footer


| Number | Name                       | Model         | Quantity |
|--------|----------------------------|---------------|----------|
| 1      | TAMPER RESISTANT TORX-BOLT | M8*20         | 2        |
| 2      | FLAT WASHER                | 8.5/23.5*T1.5 | 2        |



# Installation Steps:

1: As shown in the figure, connect the left roof and the right roof, and use corresponding hardware to connect and fasten them.


| 69-WK002 WiseKidz - Style Gable Roof 1-2 |                            |               |          |
|------------------------------------------|----------------------------|---------------|----------|
| Number                                   | Name                       | Model         | Quantity |
| 1                                        | TAMPER RESISTANT TORX-BOLT | M8*45         | 6        |
| 2                                        | FLAT WASHER                | 8.5/23.5*T1.5 | 12       |
| 3                                        | LOCK NUT                   | M8            | 6        |



# Installation Steps:

1: As shown in the figure, place the roof of the post and use self-tapping screws to connect and fasten it.

| 69-WK002 WiseKidz - Style Gable Roof 2-2 |                    |         |          |
|------------------------------------------|--------------------|---------|----------|
| Number                                   | Name               | Model   | Quantity |
| 1                                        | Self-tapping Screw | M3.9*50 | 4        |



# Inspection record

Carry out the inspections at the specified intervals and document the results.

| Interval                                                                    | Check point                                                                  | YES / NO | Action | Signature |
|-----------------------------------------------------------------------------|------------------------------------------------------------------------------|----------|--------|-----------|
| <b>Daily inspection</b>                                                     | Screws, bolts and fasteners are firmly tightened.                            |          |        |           |
|                                                                             | The equipment stands on a level surface; no hazards are present.             |          |        |           |
|                                                                             | The equipment is free of dirt and moisture.                                  |          |        |           |
|                                                                             | Moving parts and connections are undamaged and securely fastened.            |          |        |           |
|                                                                             | No signs of damage or wear.                                                  |          |        |           |
| <b>Monthly inspection (in addition to the daily inspection)</b>             | Screws are free of rust and damage.                                          |          |        |           |
|                                                                             | All parts are securely connected.                                            |          |        |           |
|                                                                             | Information and compliance labels are intact.                                |          |        |           |
| <b>Annual inspection (in addition to the daily and monthly inspections)</b> | No extensive corrosion; replace affected parts if necessary.                 |          |        |           |
|                                                                             | No cracks or damage to connecting parts; replace if necessary.               |          |        |           |
|                                                                             | No excessive discolouration of components.                                   |          |        |           |
|                                                                             | Screws and connecting elements are in working order, undamaged and not worn. |          |        |           |
|                                                                             | Information labels are legible.                                              |          |        |           |
|                                                                             | The play area under the equipment is safe and level.                         |          |        |           |

Date of inspection: \_\_\_\_\_

Carried out by: \_\_\_\_\_



## Thank you for your trust!

If you have any questions about assembly, maintenance or spare parts,  
we are happy to help.

---

### **WISDOM Education Europe GmbH**

schönherr.fabrik · Schönherrstraße 8 · 09113 Chemnitz · Germany  
Phone: +49 (0) 37360 488 999 · E-mail: [hello@wisdomeurope.eu](mailto:hello@wisdomeurope.eu)  
[www.wisdomeurope.eu](http://www.wisdomeurope.eu)